



+52-(33)-1605-0037

Ventas y envío a todo el País

KN Pro



Automatic Temperature Measurement & Disinfection Machine

Safer without contact



Temperature measurement




Automatic dispensing



Multi-language switching



Alarm Function



High precision



3 installation methods



Automatic temperature measurement and disinfection

Effectively avoid cross infection

Align the temperature measuring probe and the liquid outlet with the palm of your hand to detect the temperature and automatically sterilize the liquid



Extremely fast temperature measurement



Infrared sensor



Adjustable extrusion volume

Función Automática de Alarma de Temperatura Elevada

Cuando la temperatura corporal es elevada se dispara una alarma audible y se visualiza en el display



Alarma de Temperatura Elevada

Certificado CE, FCC y RoHS

CE

FCC

RoHS



Recipiente de Gran Capacidad 1000 ml



Exploded view

Concise appearance design



Diseñado para visualizar el Nivel de Desinfectante



Sensitivity sensor

Accurate measurement, fast and efficient, stronger environmental adaptability



Función de voz en 5 idiomas

with built-in voice broadcast in five languages, fully adaptable to different countries

Español

English

Chinese

Portuguese

Korean




Self-developed core motherboard chip

High-performance, low-power self-developed motherboard greatly improves product stability and operating capability

The inner core is more powerful

K9 Pro



Box Contents



K9 Pro*1 (with Base)

Intelligent Sensor Soap Dispenser



K9

CE
FCC
RoHS

K9

User Guide*1



1.8m USB cable*1



Screw&rubber plug*2

Technical Data



Technical Data

Accuracy	1±0.2°C (34~45°C, put it in the operating environment for 30 minutes before use)		
Alarm type	Flashing + bleeping "DIDIDI "	Power supply	USB or 4 AA batteries
Measuring distance	5cm~10cm	Product power	5W
LED display	Number	Liquid type	Spray
Alarm temperature	Adjustable	Advantages <ul style="list-style-type: none"> • Automatic induction no-clean disinfection soap dispenser, more convenient to use • Large digital display, high-definition display • High-precision sensor, stable and reliable performance • With intelligent point saving and automatic wake-up function • Available in five languages: Chinese, English, Portuguese, Spanish, and Korean • Large-capacity soap liquid, longer life cycle 	
Bottle Capacity	1000mL		
Mounting Type	Place on the desktop, Wall-hanging, Tripod-fixed		
Working Temperature	10°C~40°C (15°C~35°C Recommended)		
Measuring range	0~50°C		
Standby time	5s for non-working, dynamic loop with white dot		
Dimension	119x133x280mm		
Net weight	952g		



+52-(33)-1605-0037

Ventas y envío a todo el País

